

**MURRAY**<sup>®</sup>  
*Get it done. Go have fun.*



**2011**



Murray and Briggs & Stratton - two great names in the lawn & garden industry! These two brands have been internationally known for a combined total of more than 180 years. Together, they will bring you a fully integrated value product!

Durable, economically priced, and easy to set up, Murray products provide only those features

necessary to make cutting grass quick and easy. The Murray range for 2011 offers you a full line of walk behind mowers and lawn tractors. With rugged steel mowing decks and Briggs & Stratton engines, they are built tough to handle the rigors of lawn mowing. Simply designed, easy to use and effective, Murray lawn mowers help you get it done and go have fun!



# EMT125380

## SIDE DISCHARGE TRACTORS, CVT TRANSMISSION



The Murray side discharge tractors are ideal for bigger gardens. With a cutting system of 2 blades, large areas are quickly covered. A large side deflector disperses the grass evenly. Mulching or bagging are two optional alternatives to side discharge. The optional bag has a 247 liter capacity. This tractor has a wide leg space and can be easily accessed.



Step-through design allowing for easy on and off. Easy to reach controls.



Front axle grease fittings.



The drive solution for lawn tractors is the CVT transmission. This Continuous Variable Transmission is an automatic gear drive drive transmission for infinite speed variation.

### QUICK SPECS

	QUICK SPECS
MODEL	<b>EMT125380</b>
ENGINE TYPE	Briggs & Stratton Powerbuilt™ Series 3125
ENGINE FEATURES	OHV, AVS®
CYLINDERS	1
CUTTING WIDTH	96 cm / 38"
CUTTING HEIGHT RANGE (MM)	38 - 102
NUMBER OF CUTTING BLADES	2
MOWER TYPE	Side discharge
TRANSMISSION	CVT - Continuous Variable Transmission
GEARS	Infinite
TURNING RADIUS (CM)	35.5
TIRE SIZE (FRONT / REAR)	38 cm / 46 cm - 15" / 18"
WEIGHT (KG)	203
GREASE FITTINGS	Yes

For accessories and attachments see page 23.

# EMT155420H

## SIDE DISCHARGE TRACTORS, HYDROSTATIC TRANSMISSION

This Murray side discharge tractor is equipped with a hydrostatic drive system, turning mowing into a fun! The drive is operated by foot and no shifting nor clutching are required. The 2 cutting blades makes this tractor ideal for larger gardens. Thanks to the large side deflector, the grass is dispersed evenly. The typical Murray design offers easy to reach controls and the step-through design allows for easy on and off.



Easy to reach controls

Step-through design allows for easy on and off



Comfortable seat

Front axle grease fittings

Hydrostatic transmission



### QUICK SPECS

	QUICK SPECS
MODEL	<b>EMT155420H</b>
ENGINE TYPE	Briggs & Stratton Powerbuilt™ Series 4155
ENGINE FEATURES	OHV, AVS®
CYLINDERS	1
CUTTING WIDTH	107 cm / 42"
CUTTING HEIGHT RANGE (MM)	38 - 102
NUMBER OF CUTTING BLADES	2
MOWER TYPE	Side Discharge
TRANSMISSION	Hydrostatic
GEARS	Infinite
TURNING RADIUS (CM)	35.5
TIRE SIZE (FRONT / REAR)	38 cm / 46 cm - 15" / 18"
WEIGHT (KG)	219
GREASE FITTINGS	Yes

For accessories and attachments see page 23.

# EMT175460H / EMT20460H

SIDE DISCHARGE TRACTORS HYDROSTATIC TRANSMISSION



EMT20460H



Dash board: cruise control and RMO (Reverse Mow Option).



Large side discharge deflector and anti scalping wheels.



(Only EMT175460H)



The Murray side discharge tractors with foot operated hydrostatic automatic transmission will make mowing fun. With 3 cutting blades and a cutting width of 117 cm they are ideal for the larger garden. A large side deflector disperses the grass evenly. Conversion from side discharge to mulching is quick and easy. All tractors have a wide leg space and can be easily accessed. The height control is mounted on the fender and can be reached comfortably.

Step-through design allows for easy on and off

Comfortable adjustable high back seat



Easy to use foot pedal for hydrostatic transmission



Easy to reach cutting height control

Large side discharge deflector with optional mulching or bagging

## QUICK SPECS

	QUICK SPECS	
	EMT175460H	EMT20460H
MODEL	Briggs & Stratton Intek™ Series 4175	Briggs & Stratton Intek™ Series 7200 V-Twin
ENGINE TYPE	OHV, AVS®	OHV
ENGINE FEATURES		
CYLINDERS	1	2
CUTTING WIDTH	117 cm / 46"	117 cm / 46"
CUTTING HEIGHT RANGE (MM)	25 - 102	25 - 102
NUMBER OF CUTTING BLADES	3	3
MOWER TYPE	Side discharge	Side discharge
TRANSMISSION	Hydrostatic	Hydrostatic
GEARS	Infinite	Infinite
TURNING RADIUS (CM)	35.5	35.5
TIRE SIZE (FRONT / REAR)	38 cm / 51 cm - 15" / 20"	38 cm / 51 cm - 15" / 20"
WEIGHT (KG)	241	243
GREASE FITTINGS	Yes	Yes
OTHER	Cast iron front axle with grease fittings. Cruise control, RMO Switch, Electric PTO	Cast iron front axle with grease fittings. Cruise control, RMO Switch, Electric PTO

For accessories and attachments see page 23.

# SPECIFICATIONS




- TYPE
- MODEL
- ENGINE TYPE
- ENGINE FEATURES
- CYLINDERS
- CUTTING WIDTH (CM)
- NUMBER OF BLADES
- CUTTING HEIGHT RANGE (MM)
- CUTTING HEIGHTS
- HEIGHT ADJUSTMENT TYPE
- DRIVE TYPE
- MOWER TYPE
- TRANSMISSION
- GEARS
- BAG CAPACITY (LITERS)
- TURNING RADIUS (CM)
- FRONT WHEEL SIZE (CM)
- REAR WHEEL SIZE (CM)
- GROSS WEIGHT (KG)
- NET WEIGHT (KG)
- GREASE FITTINGS
- TOOLLESS DECK LEVELLING
- CUTTER
- HANDLES
- OTHER
- ACCESSORIES
- GRASS COLLECTOR
- MULCH KIT
- SNOW BLADE
- TIRE CHAINS
- WHEEL WEIGHTS
- LAWN SWEEPER
- DUMP CART


MURRAY SIDE DISCHARGE TRACTORS	MURRAY SIDE DISCHARGE TRACTORS	MURRAY SIDE DISCHARGE TRACTORS	MURRAY SIDE DISCHARGE TRACTORS
<b>EMT125380</b>	<b>EMT155420H</b>	<b>EMT175460H</b>	<b>EMT20460H</b>
Briggs & Stratton Powerbuilt™ Series 3125	Briggs & Stratton Powerbuilt™ Series 4155	Briggs & Stratton Intek™ Series 4175	Briggs & Stratton Intek™ Series 7200 V-Twin
OHV AVS®	OHV AVS®	OHV AVS®	OHV
1	1	1	2
96	107	117	117
2	2	3	3
38 - 102	38 - 102	25 - 102	25 - 102
7	7	7	7
Manual	Manual	Manual	Manual
Side Discharge	Side Discharge	Side Discharge	Side Discharge
CVT	Hydrostatic	Hydrostatic	Hydrostatic
Infinite	Infinite	Infinite	Infinite
247	247	352	352
35,5	35,5	35,5	35,5
38,0	38,0	38,0	38,0
46,0	46,0	51,0	51,0
223	219	290	292
200	215	241	243
Yes	Yes	Yes	Yes
No	No	No	No
		Cruise Control	Cruise Control
		Cast Iron Front Axle	Cast Iron Front Axle
24744X50	7600082	1695598	1695598
24750X50	722794	1695946	1695946
7600084	7600084	1694919	1694919
24538X00	24538X00	720249	720249
24003X00	24003X00	1690555	1690555
24720X00	24720X00	24720X00	24720X00
1692125	1692125	1692125	1692125

## ACCESSORIES & ATTACHMENTS


GRASS COLLECTOR




MULCH KIT




SNOW BLADE ATTACHMENT




TIRE CHAINS / WHEEL WEIGHTS



LAWN SWEEPER



DUMP CART





## DISTRIBUTED BY:

Briggs & Stratton RSA  
1055 Ridge Road  
Laser Park  
Johannesburg  
South Africa  
Ph: +27 11 795-7422 / 27  
Fx: +27 11 794-2476  
[stols.andre@basco.com](mailto:stols.andre@basco.com)  
[www.BRIGGSandSTRATTON.com](http://www.BRIGGSandSTRATTON.com)

## YOUR LOCAL DEALER IS:

**NOT ALL PRODUCTS SHOWN ARE AVAILABLE  
IN YOUR MARKET. PLEASE CONTACT YOUR  
DEALER IN ORDER TO DETERMINE WHAT IS  
AVAILABLE.**

TECHNICAL DATA AND ILLUSTRATIONS ARE NON-BINDING. NO LIABILITY CAN BE ACCEPTED FOR PRINTING ERRORS.

YOUR INDEPENDENT MURRAY DEALER HAS A FULL LINE OF OUTDOOR POWER EQUIPMENT TO SUIT EVERY NEED.  
MURRAY, A MEMBER OF THE BRIGGS & STRATTON YARD POWER PRODUCTS GROUP, MANUFACTURES A WIDE VARIETY OF OUTDOOR POWER EQUIPMENT,  
LAWN AND GARDEN TRACTORS, LEAF/DEBRIS PRODUCTS AND SNOW REMOVAL EQUIPMENT FOR BOTH CONSUMER AND COMMERCIAL USE.  
HYDRO GEAR® EZT® IS A TRADEMARK OF HYDRO GEAR INC. AND IS USED UNDER LICENSE.

FACTORY APPROVED PARTS, ACCESSORIES AND MAINTENANCE ITEMS ARE ONLY AVAILABLE AT AUTHORISED DEALERS.

©2011 BRIGGS & STRATTON POWER PRODUCTS GROUP, LLC  
WE RESERVE THE RIGHT TO DISCONTINUE MODELS OR CHANGE SPECIFICATIONS WITHOUT NOTICE.